

一、自行监测方案的调整

2010年7月8日, 广州恒运热电有限公司十四号炉炉内发生炉内爆炸。

杭州湾环伺洼地填海工程, 补充完善监测点位和监测项目内容。

二、2019年自行监测结果统计

2010 年自行监测结果统计附表 1

The diagram illustrates the experimental setup for studying the effect of the number of participants on the accuracy of the group decision. It is divided into two main sections: 'Individual Decision' and 'Group Decision'.

Individual Decision:

- Step 1:** Participants enter the experiment.
- Step 2:** Participants are assigned to a group.
- Step 3:** Participants make individual decisions.
- Step 4:** Participants discuss their decisions.
- Step 5:** Participants make a final decision.

Group Decision:

- Step 1:** Participants enter the experiment.
- Step 2:** Participants are assigned to a group.
- Step 3:** Participants make individual decisions.
- Step 4:** Participants discuss their decisions.
- Step 5:** Participants make a final decision.

The diagram also includes a legend for the number of participants in the group:

- 1 person
- 2 people
- 3 people
- 4 people
- 5 people
- 6 people
- 7 people
- 8 people
- 9 people
- 10 people

根据2015年日常监测数据，广州恒安热用Q117号煤质在2次的全项

2015年日常监测数据汇总表

（单位：除特别说明外，均为吨/吨）

煤种	灰分	挥发分	水分	发热量	硫分	磷分	氯分	砷分	汞分	溴分	碘分	氟分	钼分	钨分	钒分	锡分	铅分	锌分	铜分	镍分	钴分	锰分	铁分	钛分	铝分	硅分	钙分	镁分	钾分	钠分	其他
Q117	12.5	28.5	10.5	29.5	0.5	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	

四、原料成分检测

（一）原料成分检测数据汇总表

（二）原料成分检测数据汇总表

（单位：除特别说明外，均为吨/吨）

圳市河厦实业发
展有限公司/东莞
市南湖投资发展
有限公司

[illegible]