

广州恒运企业集团有限公司

自行监测方案


编制时间： 2024 年 12 月 30 日



	8
	8
	113 ° 30 ' 6.98 " 23 ° 3 ' 51.01 "
	☐ ☒ ☐ ☐
	1991-08-08

	_____ _____

	_____ _____



[illegible]

B±

DMS-100

0Z3BZZBH m "Ů
Cd+Tl

└

3

1
/6

HJ
77.2 2008



3012H
GB/T 16157 SB-132

1 /

3

HJ657-2013

3

02Δ-SOT
ω „

3

HW „

9 K

												503-2009	
										3	1 /	/	
										3	1 /	HJ/T 51-1999	
DW005	A			pH						3	1 /	pH HJ1147-2020	
										3	1 /	HJ 597-2011 GB 7468-87	
										3	1 /	GB 7475-87	
										3	1 /	GB 7485-87	
										3	1 /	GB	

												7475-87	
										3	1 /	/	

1								GB 12348	1 /	12348 GB	
1								GB 12348	1 /	12348 GB	
1								GB 12348	1 /	12348 GB	

pH

4

5

SO₂ NO_x

HJ 76-2017

HJ/T397

SO₂ NO_x

HJ 75-2017

6

7

, ,

2

,

HJ/T194-2005

HJ/T397-2007

HJ/T 373-2007
905-2017
55-2000

HJ
HJ/T

10%

3

4fGy 4OH4 A ypÑ^

734

	DA001	#6 7		GB14554-93	75kg/h	/
	DA001	#6 7		GB14554-93	21kg/h	/
	DA001	#6 7		GB14554-93	60000	
	DA001	#6 7		GB18485-2014	100	mg/m ³
	DA001	#6 7		GB18485-2014	60	mg/m ³
	DA001	#6 7	Cd+Tl	GB18485-2014	0.1	mg/m ³
	DA001	#6 7	Sb+As+Pb+Cr+Co+Cu+Mn+Ni	GB18485-2014	1	mg/m ³
	DA001	#6 7		GB18485-2014	0.1	Ng TEQ/m ³
	DW003	A		DB44-26-2001	500	mg/L
	DW003	A	PH	DB44-26-2001	6 9	
	DW003	A		DB44-26-2001	400	mg/L
	DW003	A			20	mg/L

				DB44-26-2001		
DW003	A			DB44-26-2001	/	mg/L
DW003	A			DB44-26-2001	20	mg/L
DW003	A			DB44-26-2001	1	mg/L
DW003	A			DB44-26-2001	/	mg/L
DW003	A			DB44-26-2001	/	mg/L
DW003	A			DB44-26-2001	2	mg/L
DW003	A			DB44-26-2001	300	mg/L
DW003	A			DB44-26-2001	/	
DW005	A	PH		DB44-26-2001	6-9	
DW005	A			DB44-26-2001	0.5	mg/L
DW005	A			DB44-26-2001	1.0	mg/L
DW005	A			DB44-26-2001	0.05	mg/L
DW005	A				0.1	mg/L

Bv

B44-26-200

A

DW005

DB44-26-2001

A

DW002

-

-

A

DW002

C

					Lmax	
	/	1		GB12348-2008	65 Leq 55 Leq 65 Lmax Lmax	dB A

